

Our File: EA1314-01
Jay Project

November 28, 2014

Via email: Brendan.Bell@ekati.ddcorp.ca

Brendan Bell
President
Dominion Diamond Corporation
#1102-4920 52nd Street
Yellowknife, NT
X1A 3T1

**Re: EA1314-01 Jay Project, Dominion Diamond Corporation
Developer's Assessment Report Adequacy Review**

The Mackenzie Valley Review Board (Review Board) thanks Dominion Diamond Corporation (Dominion) for submission of its Developer's Assessment Report on November 6, 2014.

The Review Board has conducted an adequacy review of the Developer's Assessment Report. This ensures that each item in the Terms of Reference has been answered in the Developer's Assessment Report with sufficient information so that the Review Board and parties can understand the project, and the predictions of impacts on the environment and people, well enough to produce meaningful and relevant information requests. The findings of the Developer's Assessment Report adequacy review are detailed in the attached document.

Please respond to these required adequacy review items. The Review Board will provide you with an updated Work Plan for the next steps in this environmental assessment after discussing with Dominion the date it expects to respond. Please contact Chuck Hubert at 766-7052, or chubert@reviewboard.ca, to discuss the timing of your response to the adequacy review items so that the Work Plan can be completed.

Sincerely,



JoAnne Deneron
Chairperson
Mackenzie Valley Environmental Impact Review Board

c. Richard Bargery, Manager, Jay Permitting

Attachment